

TRAUMA CASUALTY ASSESSMENT/MANAGEMENT SKILL SHEET (Table I)

For use of this form see TC 8-800; the proponent agency is TRADOC.

REFERENCE: STP 8-91W15-SM-TG: Task 081-833-0155, Perform a Trauma Casualty Assessment, and Task 081-833-0174, Administer Morphine

PRIVACY ACT STATEMENT

AUTHORITY: 10 U.S.C. §3013

PRINCIPAL PURPOSE: To insure that test results are properly credited to the correct medic.

ROUTINE USES: This information will be used to monitor sustainment training IAW AR 350-41, AR 220-1, and MEDCOM 350-4.

DISCLOSURE: Mandatory. Failure to provide the requested information may result in a loss of credit for taking the test and a repeat of the test to make up that credit.

| | | |
|---|-------------------------------|------------------------|
| SOLDIER (<i>Last Name, First Name, MI</i>) | SOCIAL SECURITY NUMBER | DATE (YYYYMMDD) |
|---|-------------------------------|------------------------|

CONDITION: Given a Combat Medic Vest System (CMVS) or All-purpose Lightweight Individual Carrying Equipment (ALICE), standard medical packing list, IV administration equipment with fluids, immobilization equipment, splints, oxygen, suction equipment, and 91W skill sheets. You encounter a casualty with suspected trauma injuries.

STANDARDS: The medic must perform an assessment, to include identification of all injuries in life threatening priority and stabilizing and transporting the casualty within 10 minutes without causing further injury. **NOTE:** Per TC 8-800, the evaluated soldier must score at least 70% (57 points) and not miss any critical criteria on skill sheet.

| Critical | PERFORMANCE STEPS | Points Possible | Points Awarded |
|----------|--|-----------------|----------------|
| * | Takes, verbalizes Body Substance Isolation precautions | 1 | |

SCENE ASSESSMENT

| | | | |
|---|--|---|--|
| * | Determines the safest route to access the casualty | 1 | |
| * | Determines mechanism of injury | 1 | |
| * | Determines number of casualties | 1 | |
| * | Requests additional help if necessary | 1 | |
| * | Considers stabilization of spine | 1 | |

PERFORM AN INITIAL ASSESSMENT

| | | | |
|---|--|---|---------|
| | Verbalizes general impression of casualty | 1 | |
| * | Determines responsiveness/LOC | 1 | A V P U |
| * | Determines chief complaint/apparent life threats | 1 | |

ASSESSSES AIRWAY AND BREATHING

| | | | |
|---|---|---|--|
| * | Assesses airway (open/ patent/ adjunct) | 1 | |
| * | Assesses breathing (rate, rhythm and quality) | 1 | |
| * | Initiates appropriate oxygen therapy | 1 | |

CIRCULATION

| | | | |
|---|---|---|------------------|
| | Assesses skin (color, condition, and temperature) | 1 | |
| * | Assesses pulse | 1 | Rhythm and force |
| * | Assesses for and controls major bleeding | 1 | |
| | Treats for shock (as appropriate) | 1 | |

EVALUATOR GUIDELINES: Use the checkbox column (second column) to check all performed steps. After completion of the skill, award the soldier the points indicated for that step and total all awarded points at the bottom of the column. Indicate if soldier demonstrated proficiency.

| IDENTIFY PRIORITY AND MAKE TRANSPORT DECISION | | | | |
|---|--|--|---|---|
| | | Selects appropriate assessment | Focused assessment or Rapid trauma assessment | 1 |
| RAPID TRAUMA ASSESSMENT | | | | |
| HEAD | | | | |
| | | Inspects for DCAP-BTLS | | 1 |
| | | Palpates for crepitus | | 1 |
| NECK | | | | |
| | | Inspects for DCAP-BTLS | | 1 |
| * | | Assesses for tracheal deviation | | 1 |
| | | Assesses for JVD | | 1 |
| | | Palpates C-spine for step-offs (applies cervical collar) | | 1 |
| CHEST | | | | |
| | | Inspects for DCAP-BTLS | | 1 |
| | | Palpates for crepitus | | 1 |
| | | Inspects for paradoxical motion | | 1 |
| * | | Auscultates the breath sounds | Absent/present, equal | 1 |
| ABDOMEN | | | | |
| | | Inspects for DCAP-TRD | | 1 |
| PELVIS | | | | |
| | | Inspects for DCAP-BTLS | | 1 |
| * | | Compresses to detect instability and crepitus | | 1 |
| | | Determines level of pain | | 1 |
| | | Inspects for priapism | | 1 |
| EXTREMITIES (1 point for each extremity) | | | | |
| * | | Inspects for DCAP-BTLS and assessment of motor, sensory, and circulatory function | | 4 |
| POSTERIOR | | | | |
| | | Inspects for DCAP-BTLS | | 1 |
| | | Inspects for rectal bleeding | | 1 |
| OBTAIN SAMPLE HISTORY/TRANSPORT/VITAL SIGNS | | | | |
| * | | Obtains SAMPLE History | S: A: M: P: L: E: | 1 |
| * | | Transports casualty within 10 minutes | | 1 |
| * | | Obtains or directs assistant to obtain baseline vital signs | P- R- BP- | 1 |
| * | | Determines level of pain. Correctly prepares and administers morphine per indications. | | 1 |
| PERFORM A DETAILED PHYSICAL EXAM (Perfomed during evacuation) | | | | |
| SCALP AND CRANIUM | | | | |
| | | Inspects for DCAP-BTLS | | 1 |
| | | Palpates for crepitus | | 1 |
| EARS | | | | |
| | | Inspects for DCAP-BTLS | | 1 |
| | | Inspects for drainage (blood/clear fluid) | | 1 |

| FACE | | | | |
|---|--|--|-----------------|---|
| | | Inspects for DCAP-BTLS | 1 | |
| EYES | | | | |
| | | Inspects for DCAP-BTLS | 1 | |
| | | Inspects for discoloration | 1 | |
| | | Inspects for unequal pupils | 1 | |
| | | Inspects for foreign bodies | 1 | |
| | | Inspects for blood in anterior chamber | 1 | |
| NOSE | | | | |
| | | Inspects for DCAP-BTLS | 1 | |
| | | Inspects for drainage (blood/clear fluid) | 1 | |
| MOUTH | | | | |
| | | Inspects for DCAP-BTLS | 1 | |
| | | Inspects for loose or broken teeth | 1 | |
| | | Inspects for foreign objects | 1 | |
| | | Inspects for swelling or laceration of the tongue | 1 | |
| | | Inspects for unusual breath odor | 1 | |
| | | Inspects for discoloration | 1 | |
| NECK | | | | |
| | | Inspects for DCAP-BTLS | 1 | |
| | | Inspects for JVD | 1 | |
| | | Inspects for tracheal deviation | 1 | |
| * | | Palpates for crepitus | 1 | |
| CHEST | | | | |
| | | Inspects for DCAP-BTLS | 1 | |
| | | Palpates for crepitus | 1 | |
| * | | Auscultates breath sounds | 1 | |
| | | Inspects for flail chest | 1 | |
| ABDOMEN | | | | |
| | | Inspects for DCAP-BTLS | 1 | |
| | | Palpates for TRD (Tenderness, Rigidity, and Distention) | 1 | |
| PELVIS | | | | |
| | | Inspects for DCAP-BTLS | 1 | |
| | | Inspects for instability | 1 | |
| | | Palpates for crepitus | 1 | |
| EXTREMITIES (1 point for each extremity) | | | | |
| | | Inspects for DCAP-BTLS and assessment of motor, sensory and circulatory function | 4 | |
| POSTERIOR | | | | |
| | | Inspects for DCAP-BTLS | 1 | |
| | | Inspects for rectal bleeding | 1 | |
| MANAGES SECONDARY INJURIES | | | | |
| * | | Appropriately manages injuries found during survey | 1 | |
| REASSESS VITAL SIGNS | | | | |
| | | Obtains or directs assistant to obtain vital signs | P- R- BP- | 1 |
| TOTAL POINTS | | | 81 | |
| START TIME (HH:MM:SS) | | STOP TIME (HH:MM:SS) | | DEMONSTRATED PROFICIENCY <input type="checkbox"/> YES <input type="checkbox"/> NO |